according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date:** 04/11/2022 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Sodium hydroxide pellets, NF, Ph. Eur. (111772) Sodium hydroxide; CAS No.: 1310-73-2; EC No.: 215-185-5; Index No.: 011-002-00-6; REACH No.: 01-2119457892-27-XXXX

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

For manufacturing, processing, laboratory or repacking use only.

#### Uses advised against

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

DC Fine Chemicals Ltd **Street:** 88 Hill Top

Postal code/City: NW11 6DY London United Kingdom

**Telephone:** +44 (0)20 7586 6800 **Telefax:** +44 (0)20 7504 1701

**Information contact:** info@dcfinechemicals.com

#### 1.4 Emergency telephone number

(Only available during office hours; Monday-Friday; 08:00-18:00)

# SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Met. Corr. 1; H290 - Corrosive to metals: Category 1; May be corrosive to metals.

Skin Corr. 1A; H314 - Skin corrosion/irritation: Category 1A; Causes severe skin burns and eye damage.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]





Corrosion (GHS05)

Signal word DANGER

**Hazard statements** 

H290 May be corrosive to metals.

Page: 1 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date:** 04/11/2022 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

H314 Causes severe skin burns and eye damage.

#### **Precautionary statements**

P234 Keep only in original packaging.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).

P405 Store locked up.

P406 Store in a corrosion resistant container with a resistant inner liner.

#### 2.3 Other hazards

None

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Substance name: Sodium hydroxide

**Index No.:** 011-002-00-6 **EC No.:** 215-185-5

**REACH No.:** 01-2119457892-27-XXXX

**CAS No.:** 1310-73-2 **Purity:** 100 % [mass]

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. If accidentally ingested, seek immediate medical attention, NEVER induce vomiting. Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required. Never give anything by mouth to an unconscious person or a person with cramps.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

Page: 2 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date:** 04/11/2022 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

#### 5.2 Special hazards arising from the substance or mixture

Special risks: Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Wear a self-contained breathing apparatus and chemical protective clothing. Do not inhale explosion and combustion gases.

#### 5.4 Additional information

Fire protection equipment: According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Wear a self-contained breathing apparatus and chemical protective clothing.

#### For emergency responders

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Retain contaminated washing water and dispose it.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Soak up inert absorbent and dispose as waste requiring special attention. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents)

#### 6.4 Reference to other sections

Reference to other sections Disposal: see section 13 Personal protection equipment: see section 8

#### SECTION 7: Handling and storage

# 7.1 Precautions for safe handling Protective measures



When using do not eat, drink, smoke, sniff. (refer to section 8).

Wear personal protection equipment

#### Measures to prevent aerosol and dust generation

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray. Do not breathe dust.

**Environmental precautions** 

Page: 3 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

Use appropriate container to avoid environmental contamination.

#### Specific requirements or handling rules

Handle and open container with care.

#### Advices on general occupational hygiene

Take care for general good hygiene and housekeeping.

# 7.2 Conditions for safe storage, including any incompatibilities

# Technical measures and storage conditions

#### Storage temperature :

Keep in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product.

#### Hints on joint storage

Store at least 3 metres apart from: Chemicals/products that react together readily

Storage class (TRGS 510): 8B

#### 7.3 Specific end use(s)

None

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational exposure limit values**

Sodium hydroxide; CAS No.: 1310-73-2

Limit value type (country of origin): TWA ( GLOB )

Limit value: 2 mg/m³ / 15 min

Version:

#### **DNEL-/PNEC-values**

#### **DNEL/DMEL**

Sodium hydroxide; CAS No.: 1310-73-2

Limit value type : DNEL Consumer (local)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 1 mg/m³

Limit value type : DNEL Consumer (local)

Exposure route: Dermal
Exposure frequency: Short-term
Limit value: 2 %

Limit value type : DNEL worker (local)

 $\begin{array}{lll} \mbox{Exposure route:} & \mbox{Inhalation} \\ \mbox{Exposure frequency:} & \mbox{Long-term} \\ \mbox{Limit value:} & 1 \mbox{ mg/m}^3 \\ \end{array}$ 

Limit value type : DNEL worker (local)

Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 2 %

#### 8.2 Exposure controls

Page: 4 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



111772 - Sodium hydroxide pellets, NF, Ph. Eur. Trade name:

Revision date : 04/11/2022 Version (Revision): 2.0.0 (1.0.0)

Print date: 22/11/2022

Only wear fitting, comfortable and clean protective clothing.

#### Personal protection equipment

Eye/face protection



Eye glasses with side protection Face protection shield EN 166

## Skin protection

**Hand protection** 



Tested protective gloves must be worn EN ISO 374

#### **Body protection**

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working



clothes). Wash contaminated clothing prior to re-use.

#### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.



Particle filter device (EN 143)

#### Thermal hazards

No information available.

#### **Environmental exposure controls**

No information available.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance: solid Safety characteristics

Melting point/freezing point: (1013 hPa) 322 °C Initial boiling point and boiling (1013 hPa) 1390 range:

Decomposition temperature : (1013 hPa) No data available Flash point: No data available Auto-ignition temperature : No data available Lower explosion limit: No data available Upper explosion limit: No data available No data available

Vapour pressure : (50 °C)

Page: 5 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



DIN-

Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

(20°C) g/cm<sup>3</sup> Density: 2.13 Solvent separation test: (20°C) not applicable Water solubility: (20°C) 1090 Fat solubility: (20°C) No data available. (  $20~^{\circ}\text{C}$  / 100~g/l ) pH: 14

log P O/W:

(20 °C / 100 g/l ) approx. 14

No data available

g P O/W: No data available

Flow time : (20 °C) No data available cup 4

Viscosity:( 20 °C )No data availableRelative vapour density:( 20 °C )No data availableEvaporation rate:No data available

Flammable solids: No data available.
Flammable gases: No data available.
Explosive properties: No data available.

9.2 Other information

None

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

The product does not present hazards by their reactivity.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Safe handling: see section 7

#### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4 Conditions to avoid

Avoid any improper handling.

#### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

#### 10.6 Hazardous decomposition products

Depending on conditions of use, can be generated the following products: Corrosive vapors or gases.

### SECTION 11: Toxicological information

# ${f 11.1}$ Information on hazard classes as defined in Regulation (EC) No ${f 1272/2008}$

# Acute toxicity

**Acute oral toxicity** 

Parameter: LD50 ( Sodium hydroxide ; CAS No. : 1310-73-2 )

Exposure route: Oral
Species: Rabbit
Effective dose: 325 mg/kg

Corrosion

#### Skin corrosion/irritation

No information available.

Page: 6 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

#### Serious eye damage/eye irritation

No information available.

#### Respiratory or skin sensitisation

No information available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

No information available.

#### Germ cell mutagenicity

No information available.

#### Reproductive toxicity

No information available.

#### **STOT-single exposure**

No information available.

#### **STOT-repeated exposure**

No information available.

#### **Aspiration hazard**

No information available.

#### 11.2 Information on other hazards

No information available.

# SECTION 12: Ecological information

#### 12.1 Toxicity

## **Aquatic toxicity**

#### Acute (short-term) fish toxicity

Parameter: LD50 ( Sodium hydroxide ; CAS No. : 1310-73-2 )

Species: Gambusia affinis (Mosquito fish)
Evaluation parameter: Acute (short-term) fish toxicity

Effective dose: 125 mg/l
Exposure time: 96 h

Acute (short-term) toxicity to crustacea

Parameter: EC50 ( Sodium hydroxide ; CAS No.: 1310-73-2 )

Species: Daphnia magna (Big water flea)
Evaluation parameter: Acute (short-term) toxicity to crustacea

Effective dose : 40.4 mg/l Exposure time : 48 h

Parameter: EC50 ( Sodium hydroxide ; CAS No.: 1310-73-2 )

Species: Photobacterium phosphoreum

Evaluation parameter: Acute (short-term) toxicity to crustacea

Effective dose : 22 mg/l Exposure time : 15 min

#### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

Page: 7 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6 Endocrine disrupting properties

No information available.

#### 12.7 Other adverse effects

No information available.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Follow the provisions of Directive 2008/98/EC regarding waste management.

#### **Product/Packaging disposal**

#### **Waste treatment options**

Recycle according to official regulations. Evidence for disposal must be provided.

#### Appropriate disposal / Product

Dispose of waste according to applicable legislation.

#### Appropriate disposal / Package

Non-contaminated packages must be recycled or disposed of. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

# SECTION 14: Transport information

#### 14.1 UN number

UN 1823

#### 14.2 UN proper shipping name

Land transport (ADR/RID)

SODIUM HYDROXIDE, SOLID

Sea transport (IMDG)

SODIUM HYDROXIDE, SOLID

#### Air transport (ICAO-TI / IATA-DGR)

SODIUM HYDROXIDE, SOLID

#### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

Class(es): 8
Classification code: C6
Hazard identification number (Kemler
No.): 80

No.): 80
Tunnel restriction code: E

**Special provisions :** LQ  $1 \text{ kg} \cdot \text{E } 2$ 

Hazard label(s): 8

Sea transport (IMDG)

Page: 8 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

**Class(es):** 8 **EmS-No.:** F-

**EmS-No.:** F-A / S-B **Special provisions:** LQ 1 kg · E 2 · IMDG-Code segregation group 18 - Alkalis · IMDG-Code

segregation group 35

Hazard label(s):

Air transport (ICAO-TI / IATA-DGR)

Class(es): 8
Special provisions: E 2
Hazard label(s): 8

14.4 Packing group

Π

14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

14.6 Special precautions for user

Hazard label(s):



#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

#### SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Classification according to Regulation (EC) No. 1272/2008 [CLP] according to Regulation (EU) No. 2020/878

**EU** legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 3

**National regulations** 

Water hazard class

Class: nwg (Non-hazardous to water)

# 15.2 Chemical Safety Assessment

No information available.

#### **SECTION 16: Other information**

#### 16.1 Indication of changes

None

#### 16.2 Abbreviations and acronyms

Page: 9 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 111772 - Sodium hydroxide pellets, NF, Ph. Eur.

**Revision date:** 04/11/2022 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 22/11/2022

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
ASTM: ASTM International, originally known as American Society for Testing and Materials (ASTM)

EINECS: European Inventory of Existing Commercial Chemical Substances

EC50: Effective Concentration 50 (Maximum Effective Concentration for 0% of Individuals)

LC50: Lethal Concentration 50 (Lethal Concentration for 50% of Individuals)

IC50: Inhibitor Concentration 50 (Inhibitory Concentration for 50% of Individuals)

NOEL: No Observed Effect Level (Maximum dose without effect)

DNEL: Derived No Effect Level (Derived no-effect dose)

DMEL: Derived Minimum Effect Level (Derived dose of minimal effect)

CLP: Classification, Labelling and Packaging

CSR: Chemical Safety Report

LD50: Lethal Dose 50 (Lethal Dose for 50% of Individuals)

IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
Codice IMDG: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic

RID: Regulations concerning the international rail transport of Dangerous Goods

STEL: Short term exposure limit
TLV: Threshold limit value
TWA: Time Weighted Average
UE: European Union

oe: European onion

vPvB: Very persistent very bioaccumulative

N.D.: Uvailable N.A.: Not applicable

VwVwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water

Hazard Classes

#### 16.3 Key literature references and sources for data

None

# 16.4 Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

# 16.5 Training advice

None

#### 16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 10