

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution  
**Revision date :** 04/11/2022  
**Print date :** 01/12/2023  
**Version (Revision) :** 2.0.0 (1.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Ziehl-Neelsen carbol-fuchsin solution (113660)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

For manufacturing, processing, laboratory or repacking use only.

#### Uses advised against

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

DC Fine Chemicals Ltd

**Street :** 88 Hill Top

**Postal code/City :** NW11 6DY London United Kingdom

**Telephone :** +44 (0)20 7586 6800

**Telefax :** +44 (0)20 7504 1701

**Information contact :** info@dcfinechemicals.com

### 1.4 Emergency telephone number

(Only available during office hours; Monday-Friday; 08:00-18:00)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation GHS

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2 ; H225 - Flammable liquids : Category 2 ; Highly flammable liquid and vapour.

Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.

Acute Tox. 4 ; H312 - Acute toxicity (dermal) : Category 4 ; Harmful in contact with skin.

Acute Tox. 4 ; H332 - Acute toxicity (inhalative) : Category 4 ; Harmful if inhaled.

Skin Corr. 1B ; H314 - Skin corrosion/irritation : Category 1B ; Causes severe skin burns and eye damage.

Muta. 2 ; H341 - Germ cell mutagenicity : Category 2 ; Suspected of causing genetic defects.

### 2.2 Label elements

#### Labelling according to Regulation GHS

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms



Flame (GHS02) · Health hazard (GHS08) · Corrosion (GHS05) · Exclamation mark (GHS07)

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution  
**Revision date :** 04/11/2022  
**Print date :** 01/12/2023  
**Version (Revision) :** 2.0.0 (1.0.0)

**Signal word**

DANGER

**Hazard components for labelling**

Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5

Phenol detached crystals ; CAS No. : 108-95-2

Fuchsin basic (C.I. 42510) ; CAS No. : 632-99-5

**Hazard statements**

H225 Highly flammable liquid and vapour.

H341 Suspected of causing genetic defects.

H314 Causes severe skin burns and eye damage.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

**Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**2.3 Other hazards**

This substance/mixture contains no components considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Hazardous ingredients**

Ethanol absolute partially denatured with Bitrex ; REACH No. : 01-2119457610-43-XXXX ; EC No. : 200-578-6; CAS No. : 64-17-5

Weight fraction :  $\geq 7.9 \%$

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319

Phenol detached crystals ; REACH No. : 01-2119471329-32-XXXX ; EC No. : 203-632-7; CAS No. : 108-95-2

Weight fraction :  $\geq 5 \%$

Classification 1272/2008 [CLP] : Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 Muta. 2 ; H341 STOT RE 2 ; H373 Skin Corr. 1B ; H314

Fuchsin basic (C.I. 42510) ; REACH No. : N/D ; EC No. : 211-189-6; CAS No. : 632-99-5

Weight fraction :  $\geq 0.6 \%$

Classification 1272/2008 [CLP] : Carc. 1A ; H350

**Additional information**

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician. After contact with the eyes, rinse with water with the eyelids

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

open for a sufficient length of time, then consult an ophthalmologist immediately. If accidentally ingested, seek immediate medical attention, NEVER induce vomiting. Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Accidental contact may result in serious respiratory difficulties, alteration of the central nervous system and in extreme cases, unconsciousness.

## 4.3 Indication of any immediate medical attention and special treatment needed

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

## SECTION 5: Firefighting measures

The product is Highly inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture

Special risks: Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health. Pyrolysis products, toxic

### 5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Do not inhale explosion and combustion gases. Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

#### Special protective equipment for firefighters

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately.

#### For non-emergency personnel

Wear a self-contained breathing apparatus and chemical protective clothing. Remove persons to safety.

#### For emergency responders

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains,

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution  
**Revision date :** 04/11/2022  
**Print date :** 01/12/2023  
**Version (Revision) :** 2.0.0 (1.0.0)

inform the responsible authorities. Retain contaminated washing water and dispose it.

**6.3 Methods and material for containment and cleaning up**

**For containment**

Collect in closed and suitable containers for disposal.

**For cleaning up**

The contaminated area should be cleaned up immediately with: Water Soak up inert absorbent and dispose as waste requiring special attention. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Avoid dust formation. Clear spills immediately.

**6.4 Reference to other sections**

Reference to other sections Disposal: see section 13 Personal protection equipment: see section 8

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

**Protective measures**



When using do not eat, drink, smoke, sniff.  
personal protection equipment (refer to section 8).

**Measures to prevent aerosol and dust generation**

Vapours can form explosive mixtures with air. Take precautionary measures against static discharges. Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray. Do not breathe dust.

**Environmental precautions**

Use appropriate container to avoid environmental contamination.

**Specific requirements or handling rules**

Handle and open container with care.

**Advices on general occupational hygiene**

Take care for general good hygiene and housekeeping.

**7.2 Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions**

**Storage temperature :**

Keep in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

**Requirements for storage rooms and vessels**

Only use containers specifically approved for the substance/product.

**Hints on joint storage**

Store at least 3 metres apart from: Chemicals/products that react together readily Protect against Humidity. UV-radiation/sunlight

**Storage class (TRGS 510) :** 3

**7.3 Specific end use(s)**

None

**SECTION 8: Exposure controls/personal protection**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

## 8.1 Control parameters

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

### Occupational exposure limit values

Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5

Limit value type (country of origin) : VLA ( GLOB )

Limit value : 1000 ppm / 1910 mg/m<sup>3</sup>

Version :

### DNEL-/PNEC-values

#### DNEL/DMEL

Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5

Limit value type : DNEL Consumer (local)

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 950 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 114 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic)

Exposure route : Oral

Exposure frequency : Long-term

Limit value : 87 mg/kg

Limit value type : DNEL Consumer (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 206 mg/kg

Limit value type : DNEL worker (local)

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 1900 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 950 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic)

Exposure route : Dermal

Exposure frequency : Short-term

Limit value : 343 mg/kg

Phenol detached crystals ; CAS No. : 108-95-2

Limit value type : DNEL worker (systemic)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 8 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

Limit value : 1.23 mg/kg bw/day

**PNEC**

Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5

Limit value type : PNEC (Aquatic, freshwater)

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 0.96 mg/l

Limit value type : PNEC (Aquatic, intermittent release)

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 2.75 mg/l

Limit value type : PNEC (Aquatic, marine water)

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 0.79 mg/l

Limit value type : PNEC (Sediment, freshwater)

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 3.6 mg/kg

Limit value type : PNEC (Soil)

Exposure route : Soil

Exposure time : Short-term

Limit value : 0.63 mg/kg

Limit value type : PNEC (Secondary poisoning)

Exposure time : Short-term

Limit value : 0.72 mg/kg

Limit value type : PNEC (Sewage treatment plant)

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 580 mg/l

Phenol detached crystals ; CAS No. : 108-95-2

Limit value type : PNEC (Aquatic, freshwater)

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 0.0077 mg/l

Limit value type : PNEC (Aquatic, marine water)

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 0.0077 mg/l

**8.2 Exposure controls**

Only wear fitting, comfortable and clean protective clothing.

**Personal protection equipment**

**Eye/face protection**

Eye glasses with side protection Face protection shield EN 166



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

## Skin protection

### Hand protection



Tested protective gloves must be worn EN ISO 374. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

### Body protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Wear anti-static footwear and clothing Wash contaminated clothing prior to re-use.



## Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Particle filter device (EN 143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-



contained breathing apparatus must be used.

## Thermal hazards

No special measures are necessary.

## Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** solid

#### Safety characteristics

<b>Melting point/freezing point :</b>	( 1013 hPa )	No data available
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	78 °C
<b>Decomposition temperature :</b>	( 1013 hPa )	No data available
<b>Flash point :</b>		47 °C
<b>Auto-ignition temperature :</b>		No data available
<b>Lower explosion limit :</b>		No data available
<b>Upper explosion limit :</b>		No data available
<b>Vapour pressure :</b>	( 50 °C )	No data available
<b>Density :</b>	( 20 °C )	0.99 g/cm <sup>3</sup>
<b>Solvent separation test :</b>	( 20 °C )	not applicable
<b>Water solubility :</b>	( 20 °C )	No data available
<b>Fat solubility :</b>	( 20 °C )	No data available.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01/12/2023

<b>pH :</b>		No data available	
<b>log P O/W :</b>		No data available	
<b>Flow time :</b>	( 20 °C )	No data available	DIN- cup 4 mm
<b>Viscosity :</b>	( 20 °C )	No data available	
<b>Relative vapour density :</b>	( 20 °C )	No data available	
<b>Evaporation rate :</b>		No data available	
<b>Flammable solids :</b>	No data available.		
<b>Flammable gases :</b>	No data available.		
<b>Explosive properties :</b>	No data available.		

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product does not present hazards by their reactivity.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Safe handling: see section 7

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Avoid any improper handling.

### 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products

In case of fire may be liberated: Hazardous combustion products Depending on conditions of use, can be generated the following products: Corrosive vapors or gases.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Acute oral toxicity

Parameter :	LD50 ( Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5 )
Exposure route :	Oral
Species :	Rat
Effective dose :	6200 mg/kg

Parameter :	LD50 ( Phenol detached crystals ; CAS No. : 108-95-2 )
Exposure route :	Oral
Species :	Rat
Effective dose :	340 mg/kg

##### Acute dermal toxicity

Parameter :	LD50 ( Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5 )
-------------	-------------------------------------------------------------------------------



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

Exposure route : Dermal  
Species : Rabbit  
Effective dose : 20 g/kg  
Parameter : LD50 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 660 mg/kg

## Acute inhalation toxicity

Parameter : LC50 ( Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 124.7 mg/l  
Exposure time : 4 h  
Parameter : LC50 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 900 mg/m<sup>3</sup>  
Exposure time : 8 h

## Corrosion

### Skin corrosion/irritation

No information available.

### Serious eye damage/eye irritation

No information available.

## Respiratory or skin sensitisation

No information available.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

### Carcinogenicity

No information available.

### Germ cell mutagenicity

No information available.

### Reproductive toxicity

No information available.

## STOT-single exposure

No information available.

## STOT-repeated exposure

No information available.

## Aspiration hazard

No information available.

## 11.2 Information on other hazards

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

**Acute (short-term) fish toxicity**

Parameter : LC50 ( Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5 )  
Species : Alburnus alburnus (alburnus)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 11000 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 8.9 mg/l  
Exposure time : 96 h

**Acute (short-term) toxicity to crustacea**

Parameter : EC50 ( Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 9268 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Species : Ceriodaphnia spec  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 3.1 mg/l  
Exposure time : 48 h  
Parameter : EC10 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 0.46 mg/l  
Exposure time : 16 D

**Acute (short-term) toxicity to algae and cyanobacteria**

Parameter : IC50 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : 61.1 mg/l  
Exposure time : 96 h

**Toxicity to other aquatic plants/organisms**

Parameter : IC50 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Species : Entomoneis punctulata cf  
Evaluation parameter : Toxicity to other aquatic plants/organisms  
Effective dose : 76 mg/l  
Exposure time : 72 h  
Parameter : IC50 ( Phenol detached crystals ; CAS No. : 108-95-2 )  
Species : Nitrosomonas sp  
Evaluation parameter : Toxicity to other aquatic plants/organisms  
Effective dose : 21 mg/l  
Exposure time : 24 h

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

Parameter : Bioconcentration factor (BCF) ( Ethanol absolute partially denatured with Bitrex ; CAS No.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

	: 64-17-5 )
	Bioconcentration factor (BCF)
	Bioconcentration factor (BCF)
Value :	3
Parameter :	Bioconcentration factor (BCF) ( Phenol detached crystals ; CAS No. : 108-95-2 )
	Bioconcentration factor (BCF)
Value :	17.5
Parameter :	Log KOW ( Ethanol absolute partially denatured with Bitrex ; CAS No. : 64-17-5 )
	Partition coefficient n-octanol/water (log value)
	Partition coefficient n-octanol/water (log value)
Value :	-0.3
Parameter :	Log KOW ( Phenol detached crystals ; CAS No. : 108-95-2 )
	Partition coefficient n-octanol/water (log value)
	Partition coefficient n-octanol/water (log value)
Value :	1.47

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Endocrine disrupting properties

No information available.

## 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of Directive 2008/98/EC regarding waste management. Follow the provisions of Directive 2008/98/EC regarding waste management.

#### Product/Packaging disposal

##### Waste treatment options

Recycle according to official regulations. Evidence for disposal must be provided.

##### Appropriate disposal / Product

Dispose of waste according to applicable legislation.

##### Appropriate disposal / Package

Non-contaminated packages must be recycled or disposed of. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### 14.1 UN number

UN 1992

### 14.2 UN proper shipping name

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

## Land transport (ADR/RID)

FLAMMABLE LIQUID, TOXIC, N.O.S. ( Ethanol absolute partially denatured with Bitrex · Phenol detached crystals )

## Sea transport (IMDG)

FLAMMABLE LIQUID, TOXIC, N.O.S. ( Ethanol absolute partially denatured with Bitrex · Phenol detached crystals )

## Air transport (ICAO-TI / IATA-DGR)

FLAMMABLE LIQUID, TOXIC, N.O.S. ( Ethanol absolute partially denatured with Bitrex · Phenol detached crystals )

### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

**Class(es) :** 3

**Classification code :** F1

**Hazard identification number (Kemler**

**No.) :** 30

**Tunnel restriction code :** D/E

**Special provisions :** LQ 5 I · E 1 · Transport in containers with max. 450 litres contents are not subject to the regulations of ADR/RID.

**Hazard label(s) :** 3

#### Sea transport (IMDG)

**Class(es) :** 3

**EmS-No. :** F-E / S-E

**Special provisions :** LQ 5 I · E 1 · IMDG 2.3.2.5 (<= 450 l)

**Hazard label(s) :** 3

#### Air transport (ICAO-TI / IATA-DGR)

**Class(es) :** 3

**Special provisions :** E 1

**Hazard label(s) :** 3

### 14.4 Packing group

III

### 14.5 Environmental hazards

**Land transport (ADR/RID) :** No

**Sea transport (IMDG) :** No

**Air transport (ICAO-TI / IATA-DGR) :** No

### 14.6 Special precautions for user

**Hazard label(s) :**



### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) Classification according to Regulation (EC) No 1272/2008 [CLP] according to Regulation (EU) No. 2020/878

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

## III-Directive]

**Hazard categories**

P5c - FLAMMABLE LIQUIDS

**Lower-tier requirements (t)**

5000

**Upper-tier requirements (t)**

50000

## EU legislation

**Authorisations and/or restrictions on use**

**Restrictions on use**

**Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)**

Use restriction according to REACH annex XVII, no. : 3, 40

## National regulations

**Water hazard class**

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

## 15.2 Chemical Safety Assessment

No information available.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
ASTM:	ASTM International, originally known as American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances
EC50:	Effective Concentration 50 (Maximum Effective Concentration for 0% of Individuals)
LC50:	Lethal Concentration 50 (Lethal Concentration for 50% of Individuals)
IC50:	Inhibitor Concentration 50 (Inhibitory Concentration for 50% of Individuals)
NOEL:	No Observed Effect Level (Maximum dose without effect)
DNEL:	Derived No Effect Level (Derived no-effect dose)
DMEL:	Derived Minimum Effect Level (Derived dose of minimal effect)
CLP:	Classification, Labelling and Packaging
CSR:	Chemical Safety Report
LD50:	Lethal Dose 50 (Lethal Dose for 50% of Individuals)
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
Codice IMDG:	International Maritime Dangerous Goods code
PBT:	Persistent, bioaccumulative and toxic
RID:	Regulations concerning the international rail transport of Dangerous Goods
STEL:	Short term exposure limit
TLV:	Threshold limit value
TWA:	Time Weighted Average
UE:	European Union
vPvB:	Very persistent very bioaccumulative
N.D.:	Unavailable
N.A.:	Not applicable
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 113660 - Ziehl-Neelsen carbol-fuchsin solution

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 01/12/2023

---

## 16.3 Key literature references and sources for data

None

## 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

## 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

## 16.6 Training advice

None

## 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---