

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Sodium methoxide 25% in methanol (114820)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

For manufacturing, processing, laboratory or repacking use only.

#### Uses advised against

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

DC Fine Chemicals Ltd

**Street :** 88 Hill Top

**Postal code/City :** NW11 6DY London United Kingdom

**Telephone :** +44 (0)20 7586 6800

**Telefax :** +44 (0)20 7504 1701

**Information contact :** info@dcfinechemicals.com

### 1.4 Emergency telephone number

(Only available during office hours; Monday-Friday; 08:00-18:00)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2 ; H225 - Flammable liquids : Category 2 ; Highly flammable liquid and vapour.

Skin Corr. 1B ; H314 - Skin corrosion/irritation : Category 1B ; Causes severe skin burns and eye damage.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Flame (GHS02) · Corrosion (GHS05)

##### Signal word

DANGER

##### Hazard statements

H225 Highly flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

##### Precautionary statements

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

P264 Wash thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P302+P352 IF ON SKIN: Wash with plenty of water.

## 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

Methanol ; REACH No. : 01-2119433307-44-XXXX ; EC No. : 200-659-6; CAS No. : 67-56-1

Weight fraction :  $\geq 73 - < 77$  %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 STOT SE 1 ; H370

Sodium methoxide powder ; REACH No. : 01-2119519241-51-XXXX ; EC No. : 204-699-5; CAS No. : 124-41-4

Weight fraction :  $\geq 23 - < 27$  %

Classification 1272/2008 [CLP] : Flam. Sol. 1 ; H228 Self-heat. 1 ; H251 Met. Corr. 1 ; H290 Skin Corr. 1A ; H314 Acute Tox. 4 ; H302

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. If accidentally ingested, seek immediate medical attention, NEVER induce vomiting. Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Accidental contact may result in serious respiratory difficulties, alteration of the central nervous system and in extreme cases, unconsciousness.

### 4.3 Indication of any immediate medical attention and special treatment needed

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

## SECTION 5: Firefighting measures

The product is Highly flammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

## 5.1 Extinguishing media

### Suitable extinguishing media

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

### Unsuitable extinguishing media

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

## 5.2 Special hazards arising from the substance or mixture

Special risks: Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health. Pyrolysis products, toxic

## 5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Do not inhale explosion and combustion gases. Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

### Special protective equipment for firefighters

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately.

#### For non-emergency personnel

Wear a self-contained breathing apparatus and chemical protective clothing. Remove persons to safety.

#### For emergency responders

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Retain contaminated washing water and dispose it.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Soak up inert absorbent and dispose as waste requiring special attention. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Avoid dust formation. Clear spills immediately.

### 6.4 Reference to other sections

Reference to other sections Disposal: see section 13 Personal protection equipment: see section 8

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 30/11/2022

## Protective measures



When using do not eat, drink, smoke, sniff.  
personal protection equipment (refer to section 8).

### Measures to prevent aerosol and dust generation

Vapours can form explosive mixtures with air. Take precautionary measures against static discharges. Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray. Do not breathe dust.

### Environmental precautions

Use appropriate container to avoid environmental contamination.

### Specific requirements or handling rules

Handle and open container with care.

## Advices on general occupational hygiene

Take care for general good hygiene and housekeeping.

## 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

#### Storage temperature :

Keep in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

### Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product.

### Hints on joint storage

Store at least 3 metres apart from: Chemicals/products that react together readily Protect against Humidity. UV-radiation/sunlight

**Storage class (TRGS 510) :** 11

## 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

#### DNEL-/PNEC-values

##### DNEL/DMEL

Methanol ; CAS No. : 67-56-1

Limit value type :	DNEL Consumer (local)
Exposure route :	Inhalation
Exposure frequency :	Short-term
Limit value :	50 mg/m <sup>3</sup>
Limit value type :	DNEL Consumer (local)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	50 mg/m <sup>3</sup>
Limit value type :	DNEL Consumer (systemic)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 30/11/2022

---

Exposure route :	Dermal
Exposure frequency :	Short-term
Limit value :	8 mg/kg
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Inhalation
Exposure frequency :	Short-term
Limit value :	50 mg/m <sup>3</sup>
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	8 mg/kg
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	50 mg/m <sup>3</sup>
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Oral
Exposure frequency :	Short-term
Limit value :	8 mg/kg
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Oral
Exposure frequency :	Long-term
Limit value :	8 mg/kg
Limit value type :	DNEL worker (local)
Exposure route :	Inhalation
Exposure frequency :	Short-term
Limit value :	260 mg/m <sup>3</sup>
Limit value type :	DNEL worker (local)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	260 mg/m <sup>3</sup>
Limit value type :	DNEL worker (systemic)
Exposure route :	Dermal
Exposure frequency :	Short-term
Limit value :	40 mg/kg
Limit value type :	DNEL worker (systemic)
Exposure route :	Inhalation
Exposure frequency :	Short-term
Limit value :	260 mg/m <sup>3</sup>
Limit value type :	DNEL worker (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	40 mg/kg
Limit value type :	DNEL worker (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	260 mg/m <sup>3</sup>

## PNEC

Methanol ; CAS No. : 67-56-1

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 30/11/2022

---

Limit value type : PNEC (Aquatic, freshwater)  
Exposure route : Water (Including sewage plant)  
Limit value : 154 mg/l  
Sodium methoxide powder ; CAS No. : 124-41-4  
Limit value type : PNEC (Aquatic, freshwater)  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 154 mg/l  
Limit value type : PNEC (Aquatic, intermittent release)  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 1540 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 15.4 mg/l  
Methanol ; CAS No. : 67-56-1  
Limit value type : PNEC (Aquatic, marine water)  
Exposure route : Water (Including sewage plant)  
Limit value : 154 mg/l  
Limit value type : PNEC (Sediment, freshwater)  
Exposure route : Water (Including sewage plant)  
Limit value : 570.4 mg/kg  
Sodium methoxide powder ; CAS No. : 124-41-4  
Limit value type : PNEC (Sediment, freshwater)  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 570.4 mg/kg  
Limit value type : PNEC (Sediment, marine water)  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 57.04 mg/kg  
Limit value type : PNEC (Soil)  
Exposure route : Soil  
Exposure time : Short-term  
Limit value : 23.5 mg/kg  
Methanol ; CAS No. : 67-56-1  
Limit value type : PNEC (Soil)  
Exposure route : Soil  
Limit value : 23.5 mg/kg  
Limit value type : PNEC (Sewage treatment plant)  
Exposure route : Water (Including sewage plant)  
Limit value : 100 mg/l

## 8.2 Exposure controls

Only wear fitting, comfortable and clean protective clothing.

### Personal protection equipment

#### Eye/face protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022



Eye glasses with side protection Face protection shield EN 166

## Skin protection

### Hand protection



Tested protective gloves must be worn EN ISO 374 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

### Body protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Wear anti-static footwear and clothing Wash contaminated clothing prior to re-use.



## Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Particle filter device (EN 143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-



contained breathing apparatus must be used.

## Thermal hazards

No special measures are necessary.

## Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Liquid

#### Safety characteristics

<b>Melting point/freezing point :</b>	( 1013 hPa )	6 °C
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	92 °C
<b>Decomposition temperature :</b>	( 1013 hPa )	No data available
<b>Flash point :</b>		33 °C
<b>Auto-ignition temperature :</b>		455 °C
<b>Lower explosion limit :</b>		5.5 Vol-%
<b>Upper explosion limit :</b>		36.5 Vol-%

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

<b>Vapour pressure :</b>	( 50 °C )	No data available	
<b>Density :</b>	( 20 °C )	0.97	g/cm <sup>3</sup>
<b>Solvent separation test :</b>	( 20 °C )	not applicable	
<b>Water solubility :</b>	( 20 °C )	No data available	
<b>Fat solubility :</b>	( 20 °C )	No data available.	
<b>pH :</b>	( 20 °C / 20 g/l )	11	
<b>log P O/W :</b>		No data available	
<b>Flow time :</b>	( 20 °C )	No data available	DIN- cup 4 mm
<b>Viscosity :</b>	( 20 °C )	No data available	
<b>Relative vapour density :</b>	( 20 °C )	No data available	
<b>Evaporation rate :</b>		No data available	
<b>Flammable solids :</b>		No data available.	
<b>Flammable gases :</b>		No data available.	
<b>Explosive properties :</b>		No data available.	

**9.2 Other information**

None

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

The product does not present hazards by their reactivity.

**10.2 Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature. Safe handling: see section 7

**10.3 Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4 Conditions to avoid**

Avoid any improper handling.

**10.5 Incompatible materials**

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

**10.6 Hazardous decomposition products**

In case of fire may be liberated: Hazardous combustion products Depending on conditions of use, can be generated the following products: Corrosive vapors or gases.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

**Acute oral toxicity**

Parameter :	LD50 ( Methanol ; CAS No. : 67-56-1 )
Exposure route :	Oral
Species :	Rat
Effective dose :	100 mg/kg
Parameter :	LD50 ( Sodium methoxide powder ; CAS No. : 124-41-4 )
Exposure route :	Oral



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

Species : Rat  
Effective dose : 1687 mg/kg

### Acute dermal toxicity

Parameter : LD50 ( Methanol ; CAS No. : 67-56-1 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 300 mg/kg  
Parameter : LD50 ( Sodium methoxide powder ; CAS No. : 124-41-4 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/kg

### Acute inhalation toxicity

Parameter : LC50 ( Methanol ; CAS No. : 67-56-1 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 3 mg/l  
Exposure time : 4 h

### Corrosion

#### Skin corrosion/irritation

No information available.

#### Serious eye damage/eye irritation

No information available.

### Respiratory or skin sensitisation

No information available.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

No information available.

#### Germ cell mutagenicity

No information available.

#### Reproductive toxicity

No information available.

### STOT-single exposure

No information available.

### STOT-repeated exposure

No information available.

### Aspiration hazard

No information available.

### 11.2 Information on other hazards

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) fish toxicity

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol

**Revision date :** 04/11/2022

**Version (Revision) :**

2.0.0 (1.0.0)

**Print date :** 30/11/2022

---

Parameter : LC50 ( Methanol ; CAS No. : 67-56-1 )  
Species : Lepomis macrochirus (Bluegill)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 15.4 g/l  
Exposure time : 96 h  
Parameter : LC50 ( Sodium methoxide powder ; CAS No. : 124-41-4 )  
Species : Lepomis macrochirus (Bluegill)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 15400 mg/l  
Exposure time : 96 hour(s)

### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( Methanol ; CAS No. : 67-56-1 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 10 g/l  
Exposure time : 48 h  
Parameter : EC50 ( Sodium methoxide powder ; CAS No. : 124-41-4 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : > 10000 mg/l  
Exposure time : 48 hour(s)  
Parameter : EC50 ( Methanol ; CAS No. : 67-56-1 )  
Species : Nitrocras spinipes  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 12 g/l  
Exposure time : 96 h  
Parameter : EC5 ( Methanol ; CAS No. : 67-56-1 )  
Species : E.Sulcatum  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 10 g/l  
Exposure time : 72 h  
Parameter : EC5 ( Sodium methoxide powder ; CAS No. : 124-41-4 )  
Species : E.Sulcatum  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : > 10000 mg/l  
Exposure time : 72 hour(s)  
Parameter : EC5 ( Methanol ; CAS No. : 67-56-1 )  
Species : Pseudomonas fluorescens  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 6.6 g/l  
Exposure time : 16 h

### Acute (short-term) toxicity to algae and cyanobacteria

Parameter : ErC50 ( Sodium methoxide powder ; CAS No. : 124-41-4 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : approx. 22000 mg/l  
Exposure time : 96 hour(s)

### Toxicity to other aquatic plants/organisms

Parameter : IC50 ( Methanol ; CAS No. : 67-56-1 )

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : 22 g/l  
Exposure time : 96 h  
Parameter : IC50 ( Sodium methoxide powder ; CAS No. : 124-41-4 )  
Species : Activated sludge  
Evaluation parameter : Toxicity to other aquatic plants/organisms  
Effective dose : > 1000 mg/l  
Exposure time : 3 h  
Parameter : IC50 ( Methanol ; CAS No. : 67-56-1 )  
Species : Activated sludge  
Evaluation parameter : Toxicity to other aquatic plants/organisms  
Effective dose : > 1 g/l  
Exposure time : 3 h  
Parameter : IC50 ( Methanol ; CAS No. : 67-56-1 )  
Species : M.Aeruginosa  
Evaluation parameter : Toxicity to other aquatic plants/organisms  
Effective dose : 530 mg/l  
Exposure time : 168 h

## 12.2 Persistence and degradability

### Biodegradation

Parameter : Biodegradation ( Sodium methoxide powder ; CAS No. : 124-41-4 )  
Inoculum : Degree of elimination  
Evaluation parameter : Aerobic  
Degradation rate : 95 %  
Test duration : 10 day(s)

## 12.3 Bioaccumulative potential

Parameter : Log KOW ( Methanol ; CAS No. : 67-56-1 )  
Partition coefficient n-octanol/water (log value)  
Partition coefficient n-octanol/water (log value)  
Value : -0.77

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Endocrine disrupting properties

No information available.

## 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of Directive 2008/98/EC regarding waste

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

management. Follow the provisions of Directive 2008/98/EC regarding waste management.

## Product/Packaging disposal

### Waste treatment options

Recycle according to official regulations. Evidence for disposal must be provided.

### Appropriate disposal / Product

Dispose of waste according to applicable legislation.

### Appropriate disposal / Package

Non-contaminated packages must be recycled or disposed of. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### 14.1 UN number

UN 1289

### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

SODIUM METHYLATE SOLUTION

#### Sea transport (IMDG)

SODIUM METHYLATE SOLUTION

#### Air transport (ICAO-TI / IATA-DGR)

SODIUM METHYLATE SOLUTION

### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

**Class(es) :** 3  
**Classification code :** FC  
**Hazard identification number (Kemler No.) :** 38  
**Tunnel restriction code :** D/E  
**Special provisions :** LQ 5 | · E 1  
**Hazard label(s) :** 3 / 8

#### Sea transport (IMDG)

**Class(es) :** 3  
**EmS-No. :** F-E / S-C  
**Special provisions :** LQ 5 | · E 1 · IMDG-Code segregation group 18 - Alkalis · IMDG-Code segregation group 35  
**Hazard label(s) :** 3 / 8

#### Air transport (ICAO-TI / IATA-DGR)

**Class(es) :** 3  
**Special provisions :** E 1  
**Hazard label(s) :** 3 / 8

### 14.4 Packing group

III

### 14.5 Environmental hazards

**Land transport (ADR/RID) :** No

**Sea transport (IMDG) :** No

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

**Air transport (ICAO-TI / IATA-DGR) :** No

## 14.6 Special precautions for user

**Hazard label(s) :**



## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Classification according to Regulation (EC) No 1272/2008 [CLP] according to Regulation (EU) No. 2020/878

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]**

<b>Hazard categories</b>	P5c - FLAMMABLE LIQUIDS
<b>Lower-tier requirements (t)</b>	5000
<b>Upper-tier requirements (t)</b>	50000

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3

#### National regulations

##### Water hazard class

Class : nwg (Non-hazardous to water)

### 15.2 Chemical Safety Assessment

No information available.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
ASTM:	ASTM International, originally known as American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances
EC50:	Effective Concentration 50 (Maximum Effective Concentration for 0% of Individuals)
LC50:	Lethal Concentration 50 (Lethal Concentration for 50% of Individuals)
IC50:	Inhibitor Concentration 50 (Inhibitory Concentration for 50% of Individuals)
NOEL:	No Observed Effect Level (Maximum dose without effect)
DNEL:	Derived No Effect Level (Derived no-effect dose)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2020/878



**Trade name :** 114820 - Sodium methoxide 25% in methanol  
**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)  
**Print date :** 30/11/2022

---

DMEL:	Derived Minimum Effect Level (Derived dose of minimal effect)
CLP:	Classification, Labelling and Packaging
CSR:	Chemical Safety Report
LD50:	Lethal Dose 50 (Lethal Dose for 50% of Individuals)
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
Codice IMDG:	International Maritime Dangerous Goods code
PBT:	Persistent, bioaccumulative and toxic
RID:	Regulations concerning the international rail transport of Dangerous Goods
STEL:	Short term exposure limit
TLV:	Threshold limit value
TWA:	Time Weighted Average
UE:	European Union
vPvB:	Very persistent very bioaccumulative
N.D.:	Unavailable
N.A.:	Not applicable
VvWvS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes

## 16.3 Key literature references and sources for data

None

## 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

## 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H251	Self-heating: may catch fire.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H370	Causes damage to organs.

## 16.6 Training advice

None

## 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---