Safety	Data	Sheet
--------	------	-------

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name :	110531 - Potass	ium clavulanate, for culture media use	
Revision date :	08/02/2023	Version (Revision) :	3.0.0 (2.0.0)
Print date :	04/05/2023		

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Potassium clavulanate, for culture media use (110531) Potassium clavulanate ; CAS No. : 61177-45-5 ; EC No. : 262-640-9 ; REACH No. : N/D

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

For manufacturing, processing, laboratory or repacking use only.

Uses advised against

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor)

DC Fine Chemicals Ltd

Street: 88 Hill Top

Postal code/City: NW11 6DY London United Kingdom

Telephone : +44 (0)20 7586 6800

Telefax : +44 (0)20 7504 1701

Information contact : info@dcfinechemicals.com

1.4 Emergency telephone number

(Only available during office hours; Monday-Friday; 08:00-18:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Sol. 2 ; H228 - Flammable solids : Category 2 ; Flammable solid.

Self-heat. 2 ; H252 - Self-heating substances and mixtures : Category 2 ; Self-heating in large quantities; may catch fire.

Resp. Sens. 1 ; H334 - Sensitisation to the respiratory tract : Category 1 ; May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Flame (GHS02) · Health hazard (GHS08) **Signal word**

Page : 1 / 10

A different kind of chemistry

(EN)

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name :	110531 - Potassium clavulanate	e, for culture media use	
Revision date :	08/02/2023	Version (Revision) :	3.0.0 (2.0.0)
Print date :	04/05/2023		

DANGER	
Hazard statements	
H228	Flammable solid.
H252	Self-heating in large quantities; may catch fire.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
Precautionary state	ments
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P235	Keep cool.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P407	Maintain air gap between stacks or pallets.
P413	Store bulk masses greater than kg/ lbs at temperatures not exceeding °C/ °F.
P501	Dispose of content / container in accordance with procedures.

2.3 Other hazards

This substance/mixture contains no components considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : Potassium clavulanate

EC No. : 262-640-9 REACH No. : N/D CAS No. : 61177-45-5

Purity: 100 % [mass]

SECTION 4: First aid measures

4.1 Description of first aid measures

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. If accidentally ingested, seek immediate medical attention, NEVER induce vomiting. Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Accidental contact may result in serious respiratory difficulties, alteration of the central nervous system and in extreme cases, unconsciousness.

4.3 Indication of any immediate medical attention and special treatment needed

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: Firefighting measures

Page : 2 / 10

A different kind of chemistry

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name :	110531 - Potassium	clavulanate, for culture media use	
Revision date :	08/02/2023	Version (Revision) :	3.0.0 (2.0.0)
Print date :	04/05/2023		

The product is Highly inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

5.1 Extinguishing media

Suitable extinguishing media

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Do not inhale explosion and combustion gases. In case of fire: Wear self-contained breathing apparatus. Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Special protective equipment for firefighters

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately.

For non-emergency personnel

Wear a self-contained breathing apparatus and chemical protective clothing. Remove persons to safety.

For emergency responders

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Soak up inert absorbent and dispose as waste requiring special attention. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Avoid dust formation. Clear spills immediately.

6.4 Reference to other sections

Reference to other sections Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

Page : 3 / 10

A different kind of chemistry

acc		lation (EC) No. 190 lation (EU) No. 201	07/2006 (REACH) 20/878	:: ! :: Ch	C Fine nemicals
Revis	de name : sion date : date :	110531 - Pota 08/02/2023 04/05/2023	assium clavulanate, for o Vers	culture media use sion (Revision) :	3.0.0 (2.0.0)
7.1	Precautions f	or safe handling			
		•	ough use, explosive/highly flamma	ble mixtures may develop.	
		ot eat, drink, smoke, sniff nent (refer to section 8).		Near pe	rsonal
		event aerosol and dust	generation		
	Vapours can fo well-ventilated	rm explosive mixtures with areas. Do not breathe gas	n air. Take precautionary measures /fumes/vapour/spray. Do not brea		Use only in
	Environmental	precautions e container to avoid enviro	nmental contamination		
		ements or handling rule			
		en container with care.			
	-	eneral occupationa			
	-	neral good hygiene and ho			
7.2		- .	uding any incompatibilit	ties	
	Storage tempe	casures and storag rature : ≤ -20°C vell-ventilated place. Keep	e conditions away from sources of ignition - No	o smokina.	
		s for storage room		o onioning.	
		ers specifically approved for			
	Hints on join	t storage			
	radiation/sunligh	t	als/products that react together re	eadily Protect against Humi	dity. UV-
	-	(TRGS 510): 4.2			
7.3	Specific end u None	se(s)			
	None				
SEC	TION 8: Expos	ure controls/perso	onal protection		
8.1	Control paran				
		NOT contain substances w tances with Biological Limi	vith Professional Exposure Environ t Values.	mental Limit Values. The pr	oduct does
8.2	Exposure con	-			
	-	comfortable and clean pro	tective clothing.		
	Personal pro	tection equipment			
	Eye/face pr	otection			
	Eye glasses wit	h side protection Face prot	tection shield EN 166		
			Page : 4 / 10		

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name :	110531 - Potassium clavulanate,	for culture media use	
Revision date :	08/02/2023	Version (Revision) :	3.0.0 (2.0.0)
Print date :	04/05/2023		

Skin protection Hand protection



Tested protective gloves must be worn EN ISO 374 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Body protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Wear anti-static footwear and clothing Wash contaminated clothing prior to re-use.



Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.



The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, selfcontained breathing apparatus must be used. Particle filter device (EN 143).

Thermal hazards

No special measures are necessary.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	solid
------------	---	-------

Safety characteristics

·····			
Melting point/freezing point :	(1013 hPa)	No data available	
Initial boiling point and boiling range :	(1013 hPa)	No data available	
Decomposition temperature :	(1013 hPa)	185	°C
Flash point :		11	°C
Auto-ignition temperature :		No data available	
Lower explosion limit :		No data available	
Upper explosion limit :		No data available	
Vapour pressure :	(50 °C)	No data available	
Density :	(20 °C)	No data available	
Solvent separation test :	(20 °C)	not applicable	
Water solubility :	(20 °C)	No data available	
Fat solubility :	(20 °C)	No data available.	



according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



No data available

Trade name : Revision date : Print date :	n date : 08/02/2023 Version (Revision) :		
рН :		No data available	
log P O/W :		No data available	
Flow time :	(20 °C)	No data available	DIN- cup 4 mm
Viscosity : Relative vapour densit	(20 °C) y: (20 °C)	No data available No data available	

.y .	(20 C)
	No data available.
	No data available.
	No data available.

9.2 Other information

Evaporation rate :

Flammable solids : Flammable gases : Explosive properties :

None

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not present hazards by their reactivity.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Safe handling: see section 7

10.3 Possibility of hazardous reactions

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid

Avoid any improper handling.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products

In case of fire may be liberated: Hazardous combustion products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity

Parameter : Exposure route : Species : Effective dose : LD50 (Potassium clavulanate ; CAS No. : 61177-45-5) Oral Rat 7936 mg/kg

Corrosion

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation

No information available.

Respiratory or skin sensitisation

Page : 6 / 10

A different kind of chemistry

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Version (Revision) :	3.0.0 (2.0.0)
	lanate, for culture media use Version (Revision) :

No information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity No information available. Germ cell mutagenicity

No information available.

Reproductive toxicity

No information available.

STOT-single exposure No information available.

STOT-repeated exposure No information available.

Aspiration hazard

No information available.

11.2 Information on other hazards

No information available.

SECTION 12: Ecological information

12.1 Toxicity

No information available.

- **12.2 Persistence and degradability** No information available.
- **12.3 Bioaccumulative potential** No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of Directive 2008/98/EC regarding waste management.

Product/Packaging disposal

Waste treatment options

Recycle according to official regulations. Evidence for disposal must be provided.

Page : 7 / 10

A different kind of chemistry

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision date : Print date :	08/02/2023 04/05/2023	- Potassium clavulanate, for culture media use Version (Revision) :	3.0.0 (2.0.0)
	sposal / Produc		
•	sposal / Packag	oplicable legislation.	
Non-contamina and can be re-u	ited packages mus used following pro	st be recycled or disposed of. Contaminated packages must be comp oper cleaning. Packing which cannot be properly cleaned must be dis n the same way as the substance itself.	
SECTION 14: Trans	sport informa	ntion	
14.1 UN number UN 1325			
14.2 UN proper ship	pping name		
Land transport (ADR/RID)	. (Potassium clavulanate)	
Sea transport (II	,	(Determine developments)	
Air transport (IC	AO-TI / IATA-D	. (Potassium clavulanate) GR) . (Potassium clavulanate)	
14.3 Transport haza			
Land transport (• •		
Class(es) :		4.1	
Hazard identifica No.) :	ation number (Ke	emler 40	
Tunnel restrictio	on code :	E	
Special provision		LQ 1 kg · E 2	
Hazard label(s)	:	4.1	
Sea transport (II	MDG)		
Class(es) :		4.1	
EmS-No. : Special provision	nc .	F-A / S-G LO 1 kg · E 2 · Segregation group 72	
Hazard label(s)		4.1	
Air transport (IC			
Class(es) :		4.1	
Special provision		E 2	
Hazard label(s)		4.1	
14.4 Packing group)		
14.5 Environmenta	l hazards		
Land transport (
Sea transport (II	-		
Air transport (IC			
14.6 Special precau	itions for use	er	
Hazard label(s) :			

Page : 8 / 10

A different kind of chemistry

(EN)

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name :	110531 - Potassium clavulanate, for culture media use		
Revision date :	08/02/2023	Version (Revision) :	3.0.0 (2.0.0)
Print date :	04/05/2023		

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code No information available.

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) Classification according to Regulation (EC) No 1272/2008 [CLP] according to Regulation (EU) No. 2020/878

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 3

National regulations

Water hazard class

Class : nwg (Non-hazardous to water)

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 07. Hints on joint storage - Storage class · 14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Sea transport (IMDG) · 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR) · 15. Water hazard class

16.2 Abbreviations and acronyms

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
ASTM:	ASTM International, originally known as American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances
EC50:	Effective Concentration 50 (Maximum Effective Concentration for 0% of Individuals)
LC50:	Lethal Concentration 50 (Lethal Concentration for 50% of Individuals)
IC50:	Inhibitor Concentration 50 (Inhibitory Concentration for 50% of Individuals)
NOEL:	No Observed Effect Level (Maximum dose without effect)
DNEL:	Derived No Effect Level (Derived no-effect dose)
DMEL:	Derived Minimum Effect Level (Derived dose of minimal effect)
CLP:	Classification, Labelling and Packaging
CSR:	Chemical Safety Report
LD50:	Lethal Dose 50 (Lethal Dose for 50% of Individuals)
IATA:	International Air Transport Association
ICAO:	International Civil Aviation Organization
Codice IMDG:	International Maritime Dangerous Goods code
PBT:	Persistent, bioaccumulative and toxic
RID:	Regulations concerning the international rail transport of Dangerous Goods

Page: 9 / 10

A different kind of chemistry

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name :	110531 - Potassium clavulanate, for culture media use		
Revision date : Print date :	08/02/2023 Version (Revision): 3.0 04/05/2023 3.0	3.0.0 (2.0.0)	
STEL:	Chart tarm auroquira limit		
TLV:	Short term exposure limit Threshold limit value		
TWA:			
UE:	Time Weighted Average European Union		
vPvB:	Very persistent very bioaccumulative		
N.D.:	Uvailable		
N.A.:	Not applicable		
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters in Hazard Classes	nto Water	
16.3 Key literatur	e references and sources for data		
None			
	and EUH-phrases (Number and full text)		
	• • •		
H228	Flammable solid.		
H252	Self-heating in large quantities; may catch fire.		
H317	May cause an allergic skin reaction.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
16.5 Training advi	ice		
None			
16.6 Additional in	formation		

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page : 10 / 10