

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Zinc oxide, Ph.Eur., USP (113721)

Zinc oxide ; CAS No. : 1314-13-2 ; EC No. : 215-222-5 ; INDEX No. : 030-013-00-7 ; REACH No. : 01-2119463881-32-XXXX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

For manufacturing, processing, laboratory or repacking use only.

Uses advised against

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

DC Fine Chemicals Ltd

Street : 88 Hill Top

Postal code/city : NW11 6DY London United Kingdom

Telephone : +44 (0)20 7586 6800

Telefax : +44 (0)20 7504 1701

Information contact : info@dcfinechemicals.com

1.4 Emergency telephone number

(Only available during office hours; Monday-Friday; 08:00-18:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1 ; H400 - Hazardous to the aquatic environment : Acute 1 ; Very toxic to aquatic life.

Aquatic Chronic 1 ; H410 - Hazardous to the aquatic environment : Chronic 1 ; Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Environment (GHS09)

Signal word

Warning

Hazard statements

H410

Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

Precautionary statements

P273 Avoid release to the environment.
P391 Collect spillage.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : Zinc oxide

INDEX No. : 030-013-00-7

EC No. : 215-222-5

REACH No. : 01-2119463881-32-XXXX

CAS No. : 1314-13-2

Purity : 100 % [mass]

SECTION 4: First aid measures

4.1 Description of first aid measures

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. If accidentally ingested, seek immediate medical attention, NEVER induce vomiting. Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps.

4.3 Indication of any immediate medical attention and special treatment needed

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic

5.3 Advice for firefighters

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Special protective equipment for firefighters

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately.

For non-emergency personnel

Wear a self-contained breathing apparatus and chemical protective clothing.

For emergency responders

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions

Dangerous product for the environment. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Soak up inert absorbent and dispose as waste requiring special attention. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Avoid dust formation.

6.4 Reference to other sections

Reference to other sections Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures



Wear personal protection equipment (refer to section 8).

Measures to prevent aerosol and dust generation

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray. Do not breathe dust.

Environmental precautions

Use appropriate container to avoid environmental contamination.

Specific requirements or handling rules

Handle and open container with care.

Advices on general occupational hygiene

Handle and open container with care.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

Hints on joint storage

Storage class (TRGS 510) : 13

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

Zinc oxide ; CAS No. : 1314-13-2

Limit value type (country of origin) : TWA (EC)

Limit value : 2 ppm / 8 hour(s)

Version :

Limit value type (country of origin) : TWA (EC)

Limit value : 10 mg/m³ / 8 hour(s)

Version :

DNEL-/PNEC-values

DNEL/DMEL

Limit value type : DNEL Consumer (systemic) (Zinc oxide ; CAS No. : 1314-13-2)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 87 mg/kg

Limit value type : DNEL Consumer (systemic) (Zinc oxide ; CAS No. : 1314-13-2)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 2.5 mg/m³

Limit value type : DNEL Consumer (systemic) (Zinc oxide ; CAS No. : 1314-13-2)

Exposure route : Oral

Exposure frequency : Long-term

Limit value : 0.83 mg/kg

Limit value type : DMEL worker (systemic) (Zinc oxide ; CAS No. : 1314-13-2)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 87 mg/kg

Limit value type : DMEL worker (systemic) (Zinc oxide ; CAS No. : 1314-13-2)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 5 mg/m³

PNEC

Limit value type : PNEC (Aquatic, freshwater) (Zinc oxide ; CAS No. : 1314-13-2)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Version : 1.0.0

Print date : 08/02/2022

Exposure route :	Water (Including sewage plant)
Exposure time :	Long-term
Limit value :	0.0206 mg/l
Limit value type :	PNEC (Aquatic, marine water) (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Water (Including sewage plant)
Exposure time :	Long-term
Limit value :	0.0061 mg/l
Limit value type :	PNEC (Sediment, freshwater) (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Water (Including sewage plant)
Exposure time :	Long-term
Limit value :	117 mg/kg
Limit value type :	PNEC (Sediment, marine water) (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Water (Including sewage plant)
Exposure time :	Long-term
Limit value :	56.5 mg/kg
Limit value type :	PNEC (Soil) (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Soil
Exposure time :	Long-term
Limit value :	35.6 mg/kg
Limit value type :	PNEC (Sewage treatment plant) (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Water (Including sewage plant)
Exposure time :	Long-term
Limit value :	0.052 mg/l

8.2 Exposure controls

Only wear fitting, comfortable and clean protective clothing.

Personal protection equipment

Eye/face protection



Eye glasses with side protection Face protection shield DIN EN 166

Skin protection

Hand protection



Tested protective gloves must be worn EN ISO 374 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Body protection

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0



Full protection suit Wash contaminated clothing prior to re-use.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.



The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Particle filter device (DIN EN 143).

Thermal hazards

No information available.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : solid

Safety characteristics

Melting point/freezing point :	(1013 hPa)	1975 °C
Initial boiling point and boiling range :	(1013 hPa)	No data available
Decomposition temperature :	(1013 hPa)	No data available
Flash point :		No data available
Auto-ignition temperature :		No data available
Lower explosion limit :		No data available
Upper explosion limit :		No data available
Vapour pressure :	(50 °C)	No data available
Density :	(20 °C)	5.61 g/cm ³
Solvent separation test :	(20 °C)	not applicable
Water solubility :	(20 °C)	No data available
Fat solubility :	(20 °C)	No data available.
pH :		No data available
log P O/W :		No data available
Flow time :	(20 °C)	No data available
Viscosity :	(20 °C)	No data available
Relative vapour density :	(20 °C)	No data available
Evaporation rate :		No data available
Flammable solids :	No data available.	
Flammable gases :	No data available.	
Explosive properties :	No data available.	

DIN-cup 4
mm

9.2 Other information

None

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not present hazards by their reactivity.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Safe handling: see section 7

10.3 Possibility of hazardous reactions

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid

Avoid any improper handling.

10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products

In case of fire may be liberated: Hazardous combustion products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

Parameter :	LD50 (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg

Acute dermal toxicity

Parameter :	LD50 (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Dermal
Species :	Rat
Effective dose :	> 2000 mg/kg

Acute inhalation toxicity

Parameter :	LC50 (Zinc oxide ; CAS No. : 1314-13-2)
Exposure route :	Inhalation
Species :	Rat
Effective dose :	> 5 mg/m ³
Exposure time :	4 hour(s)

Corrosion

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation

No information available.

Respiratory or skin sensitisation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Version : 1.0.0

Print date : 08/02/2022

No information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No information available.

Germ cell mutagenicity

No information available.

Reproductive toxicity

No information available.

STOT-single exposure

No information available.

STOT-repeated exposure

No information available.

Aspiration hazard

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity

Parameter : LC50 (Zinc oxide ; CAS No. : 1314-13-2)
Species : Oncorhynchus mykiss (Rainbow trout)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 1.1 mg/l
Exposure time : 96 hour(s)

Parameter : LC50 (Zinc oxide ; CAS No. : 1314-13-2)
Species : Lepomis macrochirus (Bluegill)
Evaluation parameter : Acute (short-term) fish toxicity
Effective dose : 320 ng/L
Exposure time : 96 hour(s)

Acute (short-term) toxicity to crustacea

Parameter : EC50 (Zinc oxide ; CAS No. : 1314-13-2)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) toxicity to crustacea
Effective dose : > 1000 mg/l
Exposure time : 48 hour(s)

Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : IC50 (Zinc oxide ; CAS No. : 1314-13-2)
Species : Pseudokirchneriella subcapitata
Evaluation parameter : Acute (short-term) toxicity to aquatic algae and cyanobacteria
Effective dose : 0.17 mg/l
Exposure time : 72 hour(s)

12.2 Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

No information available.

12.3 Bioaccumulative potential

Parameter : NOECs (Zinc oxide ; CAS No. : 1314-13-2)

Concentration : 0.017

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of Directive 2008/98/EC regarding waste management.

Product/Packaging disposal

Waste treatment options

Recycle according to official regulations. Evidence for disposal must be provided.

Appropriate disposal / Product

Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Non-contaminated packages must be recycled or disposed of. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

UN 3077

14.2 UN proper shipping name

Land transport (ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

Sea transport (IMDG)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

Air transport (ICAO-TI / IATA-DGR)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es) : 9
Classification code : M7
Hazard identification number (Kemler No.) : 90

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

Tunnel restriction code : -
Special provisions : LQ 5 kg · E 1
Hazard label(s) : 9 / N

Sea transport (IMDG)

Class(es) : 9
EmS-No. : F-A / S-F
Special provisions : LQ 5 kg · E 1
Hazard label(s) : 9 / N

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 9
Special provisions : E 1
Hazard label(s) : 9 / N

14.4 Packing group

III

14.5 Environmental hazards

Land transport (ADR/RID) : Yes
Sea transport (IMDG) : Yes (P)
Air transport (ICAO-TI / IATA-DGR) : Yes

14.6 Special precautions for user

Hazard label(s) :



14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Classification according to Regulation (EC) No 1272/2008 [CLP] according to Regulation (EU) No. 2015/830

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

Hazard categories E1 Environmental hazards cat. 1
Lower-tier requirements (t) 100
Upper-tier requirements (t) 200

National regulations

Water hazard class (WGK)

Class : nwg (Non-hazardous to water)

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC50:	Effective Concentration 50 (Concentrazione Effettiva Massima per il 50% degli Individui)
LC50:	Lethal Concentration 50 (Concentrazione Letale per il 50% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD50:	Lethal Dose 50 (Dose Letale per il 50% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.4 Relevant H- and EUH-phrases (Number and full text)

None

16.5 Training advice

None

16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No. 2015/830



Trade name : 113721 - Zinc oxide, Ph.Eur., USP

Revision date : 13/09/2021

Print date : 08/02/2022

Version : 1.0.0

mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
