according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Thallium(I) acetate, pure (117081)

Thallium(I) acetate; CAS No.: 563-68-8; EC No.: 209-257-5; Index No.: 081-002-00-9; REACH No.: N/D

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

For manufacturing, processing, laboratory or repacking use only.

#### Uses advised against

Uses other than those recommended.

## 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

DC Fine Chemicals Ltd **Street:** 88 Hill Top

Postal code/City: NW11 6DY London United Kingdom

**Telephone:** +44 (0)20 7586 6800 **Telefax:** +44 (0)20 7504 1701

**Information contact:** info@dcfinechemicals.com

## 1.4 Emergency telephone number

(Only available during office hours; Monday-Friday; 08:00-18:00)

## SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

#### **Classification according to Regulation GHS**

## Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 2; H300 - Acute toxicity (oral): Category 2; Fatal if swallowed.

Acute Tox. 2; H330 - Acute toxicity (inhalative): Category 2; Fatal if inhaled.

STOT RE 2; H373 - STOT-repeated exposure: Category 2; May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2 ; H411 - Hazardous to the aquatic environment : Chronic 2 ; Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

# Labelling according to Regulation GHS

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms







Page: 1 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date:** 04/11/2022 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

Skull and crossbones (GHS06) · Health hazard (GHS08) · Environment (GHS09)

## Signal word

**DANGER** 

#### **Hazard statements**

H300+H330 Fatal if swallowed or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P310 Immediately call a POISON CENTER/doctor. P320 Specific treatment is urgent (see on this label).

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Substance name: Thallium(I) acetate

Index No.: 081-002-00-9 EC No.: 209-257-5 REACH No.: N/D CAS No.: 563-68-8 Purity: 100 % [mass]

## **SECTION 4: First aid measures**

Immediate medical attention is required. Delayed effects may occur after the exposure to the product.

## 4.1 Description of first aid measures

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. If accidentally ingested, seek immediate medical attention, NEVER induce vomiting. Remove victim out of the danger area. In case of inhalation take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### 4.2 Most important symptoms and effects, both acute and delayed

Accidental contact may result in serious respiratory difficulties, alteration of the central nervous system and in extreme cases, unconsciousness.

## 4.3 Indication of any immediate medical attention and special treatment needed

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

Page: 2 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

## SECTION 5: Firefighting measures

The product does not present any particular risk in case of fire.

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic

#### 5.3 Advice for firefighters

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

## Special protective equipment for firefighters

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately.

# For non-emergency personnel

Wear a self-contained breathing apparatus and chemical protective clothing. Remove persons to safety.

#### For emergency responders

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions

Dangerous product for the environment. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Retain contaminated washing water and dispose it

## 6.3 Methods and material for containment and cleaning up

## For containment

Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Soak up inert absorbent and dispose as waste requiring special attention. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Avoid dust formation.

#### 6.4 Reference to other sections

Reference to other sections Disposal: see section 13 Personal protection equipment: see section 8

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Page: 3 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

#### **Protective measures**







When using do not eat, drink, smoke, sniff. Wear personal protection equipment

(refer to section 8).

#### Measures to prevent aerosol and dust generation

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray. Do not breathe dust.

#### **Environmental precautions**

Use appropriate container to avoid environmental contamination.

#### Specific requirements or handling rules

Handle and open container with care.

## Advices on general occupational hygiene

Handle and open container with care.

## 7.2 Conditions for safe storage, including any incompatibilities

## **Technical measures and storage conditions**

#### Storage temperature :

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

#### Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product.

#### Hints on joint storage

Store at least 3 metres apart from: Chemicals/products that react together readily

Storage class (TRGS 510): 6.1B

## 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

None

## 8.2 Exposure controls

Only wear fitting, comfortable and clean protective clothing.

#### **Personal protection equipment**

Eye/face protection





Eye glasses with side protection Face protection shield EN 166

# Skin protection

**Hand protection** 

Page: 4 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



131 °C

Trade name: 117081 - Thallium(I) acetate, pure

Revision date: 04/11/2022 Version (Revision): 2.0.0 (1.0.0)

Print date : 21/02/2024

> Tested protective gloves must be worn EN ISO 374 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

#### **Body protection**

Full protection suit Wash contaminated clothing prior to re-use

## Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, selfcontained breathing apparatus must be used. Particle filter device (EN 143).

## Thermal hazards

No information available.

## **Environmental exposure controls**

No information available.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance: solid Safety characteristics

Melting point/freezing point: (1013 hPa) Initial boiling point and boiling (1013 hPa) No data available range: (1013 hPa) No data available Decomposition temperature : Flash point: No data available Auto-ignition temperature : No data available Lower explosion limit: No data available Upper explosion limit: No data available Vapour pressure : (50°C) No data available Density: (20°C) No data available Solvent separation test: (20°C) not applicable Water solubility: (20°C) No data available Fat solubility: No data available. ( 20 °C ) pH: No data available log P O/W: No data available

DIN-Flow time: (20°C) No data available cup 4 mm

Page: 5 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

Viscosity: $(20 \, ^{\circ}\mathrm{C})$ No data availableRelative vapour density: $(20 \, ^{\circ}\mathrm{C})$ No data availableEvaporation rate:No data available

Flammable solids: No data available.
Flammable gases: No data available.
Explosive properties: No data available.

#### 9.2 Other information

None

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Safe handling: see section 7

## 10.3 Possibility of hazardous reactions

The product does not present possibility of hazardous reactions.

#### 10.4 Conditions to avoid

Avoid any improper handling.

## 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

## 10.6 Hazardous decomposition products

In case of fire may be liberated: Hazardous combustion products

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

## **Acute oral toxicity**

Parameter: LD50 ( Thallium(I) acetate; CAS No.: 563-68-8 )

Exposure route: Oral
Species: Rat
Effective dose: 41.3 mg/kg

#### Corrosion

#### Skin corrosion/irritation

No information available.

#### Serious eye damage/eye irritation

No information available.

## Respiratory or skin sensitisation

No information available.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

No information available.

Page: 6 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

## Germ cell mutagenicity

No information available.

## Reproductive toxicity

No information available.

#### **STOT-single exposure**

No information available.

#### **STOT-repeated exposure**

No information available.

#### **Aspiration hazard**

No information available.

#### 11.2 Information on other hazards

No information available.

## SECTION 12: Ecological information

#### 12.1 Toxicity

No information available.

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6 Endocrine disrupting properties

No information available.

## 12.7 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of Directive 2008/98/EC regarding waste management.

## **Product/Packaging disposal**

#### Waste treatment options

Recycle according to official regulations. Evidence for disposal must be provided.

#### Appropriate disposal / Product

Dispose of waste according to applicable legislation.

## Appropriate disposal / Package

Non-contaminated packages must be recycled or disposed of. Contaminated packages must be completely emptied

Page: 7 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

04/11/2022 Revision date: Version (Revision): 2.0.0 (1.0.0)

Print date: 21/02/2024

> and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

## 14.1 UN number

UN 1707

## 14.2 UN proper shipping name

Land transport (ADR/RID)

THALLIUM COMPOUND, N.O.S. (Thallium(I) acetate)

Sea transport (IMDG)

THALLIUM COMPOUND, N.O.S. (Thallium(I) acetate)

Air transport (ICAO-TI / IATA-DGR)

THALLIUM COMPOUND, N.O.S. (Thallium(I) acetate)

#### 14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es): 6.1 Classification code: T5 Hazard identification number (Kemler No.): Tunnel restriction code: D/E

Special provisions: LQ 500 g · E 4 Hazard label(s): 6.1 / N

Sea transport (IMDG)

Class(es): 6.1 EmS-No.: F-A / S-A Special provisions: LQ 500 g · E 4 Hazard label(s): 6.1 / N

Air transport (ICAO-TI / IATA-DGR)

Class(es): 6.1 **Special provisions:** E 4 Hazard label(s): 6.1

## 14.4 Packing group

## 14.5 Environmental hazards

Land transport (ADR/RID): Yes Sea transport (IMDG): Yes (P)

Air transport (ICAO-TI / IATA-DGR): Yes

## 14.6 Special precautions for user

Hazard label(s):



## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

Page: 8 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

## SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) Classification according to Regulation (EC) No. 1272/2008 [CLP] according to Regulation (EU) No. 2020/878

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

**Hazard categories** E2 - HAZARDOUS TO THE AQUATIC ENVIRONMENT 2

Lower-tier requirements (t) 200 Upper-tier requirements (t) 500

Hazard categories H2 - ACUTE TOXIC 2

Lower-tier requirements (t) 50 Upper-tier requirements (t) 200

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 3

National regulations Water hazard class

Class: nwg (Non-hazardous to water)

#### 15.2 Chemical Safety Assessment

No information available.

## SECTION 16: Other information

## 16.1 Indication of changes

None

#### 16.2 Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
ASTM: ASTM International, originally known as American Society for Testing and Materials (ASTM)

EINECS: European Inventory of Existing Commercial Chemical Substances

EC50: Effective Concentration 50 (Maximum Effective Concentration for 0% of Individuals)

LC50: Lethal Concentration 50 (Lethal Concentration for 50% of Individuals)

IC50: Inhibitor Concentration 50 (Inhibitory Concentration for 50% of Individuals)

NOEL: No Observed Effect Level (Maximum dose without effect)

DNEL: Derived No Effect Level (Derived no-effect dose)

DMEL: Derived Minimum Effect Level (Derived dose of minimal effect)

CLP: Classification, Labelling and Packaging

CSR: Chemical Safety Report

LD50: Lethal Dose 50 (Lethal Dose for 50% of Individuals)

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

Page: 9 / 10

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No. 2020/878



Trade name: 117081 - Thallium(I) acetate, pure

**Revision date :** 04/11/2022 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/02/2024

Codice IMDG: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic

RID: Regulations concerning the international rail transport of Dangerous Goods

STEL: Short term exposure limit TLV: Threshold limit value TWA: Time Weighted Average

UE: European Union

vPvB: Very persistent very bioaccumulative

N.D.: Uvailable N.A.: Not applicable

VwVwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water

Hazard Classes

## 16.3 Key literature references and sources for data

None

## 16.4 Relevant H- and EUH-phrases (Number and full text)

H300 Fatal if swallowed. H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

## 16.5 Training advice

None

#### 16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 10