

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Acetone ethanol decolorant (123930)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

For manufacturing, processing, laboratory or repacking use only.

#### Uses advised against

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet

#### Supplier (manufacturer/importer/only representative/downstream user/distributor)

DC Fine Chemicals Ltd

**Street :** 88 Hill Top

**Postal code/city :** NW11 6DY London United Kingdom

**Telephone :** +44 (0)20 7586 6800

**Telefax :** +44 (0)20 7504 1701

**Information contact :** info@dcfinechemicals.com

### 1.4 Emergency telephone number

(Only available during office hours; Monday-Friday; 08:00-18:00)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Flam. Liq. 2 ; H225 - Flammable liquids : Category 2 ; Highly flammable liquid and vapour.

STOT SE 3 ; H336 - STOT-single exposure : Category 3 ; May cause drowsiness or dizziness.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Flame (GHS02) · Exclamation mark (GHS07)

##### Signal word

DANGER

##### Hazard components for labelling

Acetone ; CAS No. : 67-64-1

##### Hazard statements

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P312 Call a POISON CENTER/doctor if you feel unwell.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

#### 2.3 Other hazards

None

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous ingredients

Ethanol absolute denatured with Bitrex ; REACH No. : 01-2119457610-43-XXXX ; EC No. : 200-578-6; CAS No. : 64-17-5

Weight fraction :  $\geq 70.19$  %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319

Acetone ; REACH No. : 01-2119471330-49-XXXX ; EC No. : 200-662-2; CAS No. : 67-64-1

Weight fraction :  $\geq 29.81$  %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H335

##### Additional information

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. If accidentally ingested, seek immediate medical attention, NEVER induce vomiting. Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Accidental contact may result in serious respiratory difficulties, alteration of the central nervous system and in extreme cases, unconsciousness.

#### 4.3 Indication of any immediate medical attention and special treatment needed

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### SECTION 5: Firefighting measures

The product is Highly inflammable, it can cause or considerably worsen a fire, the necessary prevention measures should be taken and risks avoided. In case of fire, the following measures are recommended:

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic

### 5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Do not inhale explosion and combustion gases. In case of fire: Wear self-contained breathing apparatus. Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

#### Special protective equipment for firefighters

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately.

#### For non-emergency personnel

Wear a self-contained breathing apparatus and chemical protective clothing. Remove persons to safety.

#### For emergency responders

Eliminate possible ignition points and ventilate the area. No smoking. Avoid breathing fumes. For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Retain contaminated washing water and dispose it.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Soak up inert absorbent and dispose as waste requiring special attention. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Avoid dust formation. Clear spills immediately.

### 6.4 Reference to other sections

Reference to other sections Disposal: see section 13 Personal protection equipment: see section 8

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

#### Protective measures

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021



When using do not eat, drink, smoke, sniff.  
protection equipment (refer to section 8).

Wear personal

### Measures to prevent aerosol and dust generation

Vapours can form explosive mixtures with air. Take precautionary measures against static discharges. Use only in well-ventilated areas. Do not breathe the gas/fumes/vapour/spray. Do not breathe dust.

### Environmental precautions

Use appropriate container to avoid environmental contamination.

### Specific requirements or handling rules

Handle and open container with care.

### Advices on general occupational hygiene

Take care for general good hygiene and housekeeping.

## 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product.

### Hints on joint storage

Store at least 3 metres apart from: Chemicals/products that react together readily Protect against Humidity, UV-radiation/sunlight

**Storage class (TRGS 510) :** 3

## 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5

Limit value type (country of origin) : VLA ( GLOB )

Limit value : 1000 ppm / 1910 mg/m<sup>3</sup>

Version :

Acetone ; CAS No. : 67-64-1

Limit value type (country of origin) : VLA ( GLOB )

Limit value : 500 ppm / 1210 mg/m<sup>3</sup>

Version :

#### DNEL-/PNEC-values

##### DNEL/DMEL

Limit value type : DNEL Consumer (local) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 950 mg/m<sup>3</sup>

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

Limit value type : DNEL Consumer (systemic) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 114 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 87 mg/kg

Limit value type : DNEL Consumer (systemic) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 206 mg/kg

Limit value type : DNEL worker (local) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 1900 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 950 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Dermal  
Exposure frequency : Short-term  
Limit value : 343 mg/kg

**PNEC**

Limit value type : PNEC (Aquatic, freshwater) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 0.96 mg/l

Limit value type : PNEC (Aquatic, intermittent release) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 2.75 mg/l

Limit value type : PNEC (Aquatic, marine water) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 0.79 mg/l

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

Limit value type : PNEC (Sediment, freshwater) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 3.6 mg/kg

Limit value type : PNEC (Soil) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )

Exposure route : Soil

Exposure time : Short-term

Limit value : 0.63 mg/kg

Limit value type : PNEC (Secondary poisoning) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )

Exposure time : Short-term

Limit value : 0.72 mg/kg

Limit value type : PNEC (Sewage treatment plant) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )

Exposure route : Water (Including sewage plant)

Exposure time : Short-term

Limit value : 580 mg/l

## 8.2 Exposure controls

Only wear fitting, comfortable and clean protective clothing.

### Personal protection equipment

#### Eye/face protection



Eye glasses with side protection Face protection shield DIN EN 166

#### Skin protection

##### Hand protection



Tested protective gloves must be worn EN ISO 374 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

##### Body protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Wear anti-static footwear and clothing Wash contaminated clothing prior to re-use.



#### Respiratory protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.



The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Particle filter device (DIN EN 143).

## Thermal hazards

No special measures are necessary.

## Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Liquid

#### Safety characteristics

<b>Melting point/freezing point :</b>	( 1013 hPa )	No data available	
<b>Initial boiling point and boiling range :</b>	( 1013 hPa )	No data available	
<b>Decomposition temperature :</b>	( 1013 hPa )	No data available	
<b>Flash point :</b>		-10 °C	
<b>Auto-ignition temperature :</b>	>	425 °C	
<b>Lower explosion limit :</b>		2.2 Vol-%	
<b>Upper explosion limit :</b>		13.5 Vol-%	
<b>Vapour pressure :</b>	( 50 °C )	No data available	
<b>Density :</b>	( 20 °C )	0.795 g/cm <sup>3</sup>	
<b>Solvent separation test :</b>	( 20 °C )	not applicable	
<b>Water solubility :</b>	( 20 °C )	No data available	
<b>Fat solubility :</b>	( 20 °C )	No data available.	
<b>pH :</b>		No data available	
<b>log P O/W :</b>		No data available	
<b>Flow time :</b>	( 20 °C )	No data available	DIN-cup 4 mm
<b>Viscosity :</b>	( 20 °C )	No data available	
<b>Relative vapour density :</b>	( 20 °C )	No data available	
<b>Evaporation rate :</b>		No data available	
<b>Flammable solids :</b>	No data available.		
<b>Flammable gases :</b>	No data available.		
<b>Explosive properties :</b>	No data available.		

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product does not present hazards by their reactivity.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

## 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Safe handling: see section 7

## 10.3 Possibility of hazardous reactions

The product does not present possibility of hazardous reactions.

## 10.4 Conditions to avoid

Avoid any improper handling.

## 10.5 Incompatible materials

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

## 10.6 Hazardous decomposition products

In case of fire may be liberated: Hazardous combustion products

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute oral toxicity

Parameter : LD50 ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 6200 mg/kg

Parameter : LD50 ( Acetone ; CAS No. : 67-64-1 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 5.8 g/kg

##### Acute dermal toxicity

Parameter : LD50 ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 20 g/kg

Parameter : LD50 ( Acetone ; CAS No. : 67-64-1 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 20 g/kg

##### Acute inhalation toxicity

Parameter : LC50 ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 124.7 mg/l  
Exposure time : 4 h

Parameter : LC50 ( Acetone ; CAS No. : 67-64-1 )  
Exposure route : Inhalation



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

Species : Rat  
Effective dose : 76 mg/l  
Exposure time : 4 h

## Corrosion

### Skin corrosion/irritation

No information available.

### Serious eye damage/eye irritation

No information available.

## Respiratory or skin sensitisation

No information available.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

### Carcinogenicity

No information available.

### Germ cell mutagenicity

No information available.

### Reproductive toxicity

No information available.

## STOT-single exposure

No information available.

## STOT-repeated exposure

No information available.

## Aspiration hazard

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) fish toxicity

Parameter : LC50 ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Species : Alburnus alburnus (alburnum)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 11000 mg/l  
Exposure time : 96 h

Parameter : LC50 ( Acetone ; CAS No. : 67-64-1 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 5.4 g/l  
Exposure time : 96 h

##### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

Effective dose : 9268 mg/l  
Exposure time : 48 h

Parameter : EC50 ( Acetone ; CAS No. : 67-64-1 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 6.1 g/l  
Exposure time : 48 h

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

Parameter : Bioconcentration factor (BCF) ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Bioconcentration factor (BCF)  
Bioconcentration factor (BCF)  
Concentration : 3

Parameter : Log KOW ( Ethanol absolute denatured with Bitrex ; CAS No. : 64-17-5 )  
Partition coefficient: n-octanol/water  
Partition coefficient: n-octanol/water  
Concentration : -0.3

Parameter : Log KOW ( Acetone ; CAS No. : 67-64-1 )  
Partition coefficient: n-octanol/water  
Partition coefficient: n-octanol/water  
Concentration : -0.24

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of Directive 2008/98/EC regarding waste management.

#### Product/Packaging disposal

##### Waste treatment options

Recycle according to official regulations. Evidence for disposal must be provided.

##### Appropriate disposal / Product

Dispose of waste according to applicable legislation.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

## Appropriate disposal / Package

Non-contaminated packages must be recycled or disposed of. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### 14.1 UN number

UN 1993

### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

FLAMMABLE LIQUID, N.O.S. ( Ethanol absolute denatured with Bitrex · Acetone )

#### Sea transport (IMDG)

FLAMMABLE LIQUID, N.O.S. ( Ethanol absolute denatured with Bitrex · Acetone )

#### Air transport (ICAO-TI / IATA-DGR)

FLAMMABLE LIQUID, N.O.S. ( Ethanol absolute denatured with Bitrex · Acetone )

### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

**Class(es) :** 3

**Classification code :** F1

**Hazard identification number (Kemler No.) :** 33

**Tunnel restriction code :** D/E

**Special provisions :** LQ 1 | · E 2 · ADR : III (<= 450 l)

**Hazard label(s) :** 3

#### Sea transport (IMDG)

**Class(es) :** 3

**EmS-No. :** F-E / S-E

**Special provisions :** LQ 1 | · E 2 · IMDG 2.3.2.2 (Packing group III <= 450 l)

**Hazard label(s) :** 3

#### Air transport (ICAO-TI / IATA-DGR)

**Class(es) :** 3

**Special provisions :** E 2 · IATA 3.3.3.1 (Packing group III <= 30 l)

**Hazard label(s) :** 3

### 14.4 Packing group

II

### 14.5 Environmental hazards

**Land transport (ADR/RID) :** No

**Sea transport (IMDG) :** No

**Air transport (ICAO-TI / IATA-DGR) :** No

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

## SECTION 15: Regulatory information

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant

**Revision date :** 04/05/2021

**Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 21/05/2021

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Classification according to Regulation (EC) No 1272/2008 [CLP] according to Regulation (EU) No. 2015/830

### National regulations

#### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to AwSV

Percentage of carcinogenic substances WGK 3 : - 0 %

Percentage of carcinogenic substances WGK 2 : - 0 %

Percentage of carcinogenic substances : - 0 %

Percentage of substances WGK 3 : - 0 %

Percentage of substances WGK 3 with M-Factor : - 0 %

Percentage of substances WGK 3 (nwg) : - 0 %

Percentage of substances WGK 2 : - 0 %

Percentage of substances WGK 2 with M-Factor : - 0 %

Percentage of substances WGK 1 : + 70.19 %

Percentage of substances non-hazardous to water (nwg) : 29.81 %

Percentage of substances unidentified : - 0 %

Percentage of substances unidentified (nwg) : - 0 %

Percentage of floating liquids : 0 %

## 15.2 Chemical safety assessment

No information available.

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients

### 16.2 Abbreviations and acronyms

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC50:	Effective Concentration 50 (Concentrazione Effettiva Massima per il 50% degli Individui)
LC50:	Lethal Concentration 50 (Concentrazione Letale per il 50% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD50:	Lethal Dose 50 (Dose Letale per il 50% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) No. 2015/830



**Trade name :** Acetone ethanol decolorant  
**Revision date :** 04/05/2021  
**Print date :** 21/05/2021  
**Version (Revision) :** 2.0.0 (1.0.0)

---

Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
VwWvS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwWvS)

**16.3 Key literature references and sources for data**

None

**16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

No information available.

**16.5 Relevant H- and EUH-phrases (Number and full text)**

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

**16.6 Training advice**

None

**16.7 Additional information**

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---